FEDERAL OCCUPATIONAL HEALTH

ASBESTOS AIR SAMPLING

COMPLETED FOR THE GENERAL SERVICES ADMINISTRATION

Survey Location:

Chet Holifield Federal Building General Services Administration 24000 Avila Road Laguna Niguel, California 92677

Survey Dates:

August 8, 2017 & August 9, 2017

Report Date:

September 18, 2017

Prepared By:

United States Public Health Service Federal Occupational Health





A. EXECUTIVE SUMMARY

On August 8, 2017 and August 9, 2017, the Federal Occupational Health (FOH) inspection team conducted asbestos air sampling throughout the Chet Holifield Federal Building. Air sampling was conducted to verify that airborne fiber levels were at appropriate levels. Air samples were collected in common areas, mechanical air handler rooms, storage rooms, file rooms and in occupied office spaces throughout the building. A total of sixtynine (69) air samples, four lab blanks and four field blanks were collected by Federal Occupational Health and submitted for analysis using Transmission Electron Microscopy (TEM).

There are no current EPA regulations for general area air sampling and no regulatory action levels for direct comparison of airborne asbestos levels; however, the US Environmental Protection Agency (EPA) has regulations for area air sampling within containment after an asbestos abatement has been completed. When performing general area asbestos air sampling, FOH compares results to the EPA regulations.

Laboratory analysis indicated fiber levels for all samples to be less than 15 structures per millimeter squared (< 15 s/mm²). In structures per cubic centimeter (s/cc) the results ranged from <0.0037 to <0.0048 s/cc of air.

For TEM AHERA samples, EPA uses the clearance level of 70 s/mm² after an asbestos removal has been completed. This is the level at which EPA considers the space appropriate to return to general occupancy. Analytical results of all air samples indicate that asbestos concentrations were below the EPA clearance level of 70 s/mm². The Memorandum of Agreement (MOA) between the General Services Administration (GSA) and the US Citizenship and Immigration Services (USCIS) dated February 15, 2017 states that results less than 0.005 s/cc are considered acceptable. All results from the air sampling were less than 0.005 s/cc of air.

B. INTRODUCTION

On August 8, 2017 and August 9, 2017, U.S. Public Health Service, Federal Occupational Health, inspection team members, Michael Pinkerton, Joshua White and Matthew Rodriguez conducted asbestos air sampling at the Chet Holifield Federal Building located at 24000 Avila Road, in Laguna Niguel, California, 92677. Air samples were collected in common areas, mechanical air handler rooms, storage rooms, file rooms and office spaces occupied by government agencies within the above referenced structure. A total of sixty-nine (68) air samples, with four lab blanks and four field blanks were collected and analyzed for asbestos fibers using transmission electron microscopy (TEM) by AMA Analytical Laboratory in Lanham, Maryland.

The Chet Holifield Federal Building is a United States Government Building managed by the General Service Administration and is occupied by government agencies. The 7-story pyramidal form building was constructed between 1967 and 1971 and is approximately 1,000,000 square foot in size. It is constructed of angled, painted, pre-cast concrete panels with reticulation, a textured finish that displays curvilinear forms and recessed anodized aluminum windows. The building has a concrete frame and the lateral force-resisting system consists of concrete shear walls and single-level concrete moment frames. This office space has carpeted and tiled floors, painted-sheetrock walls, drop ceilings, and the supply air is ducted while the return air is transported via the plenum area above the ceiling.

Before the survey, an opening conference was held with GSA Senior Property Manager Sherry Hutchinson and Building Manager Samantha Shintaku, to discuss the procedures and the locations of the air sampling.

C. METHODS

Air sampling was conducted by drawing a known volume of air through a filter using flow-controlled pumps that were each pre and post calibrated. Calibration was made by using a Bios Defender 520 Primary Flow Calibrator, with a representative sampler in line. The filter media used was 0.45-micron pore-size mixed cellulose ester filter with backup pad. Each sample was collected open-faced in a 25-millimeter non-conducting cassette. Each sample was collected at breathing zone height. The samples were collected for approximately 2 hours and a sufficient volume of air was collected to meet the required limit of quantification for TEM analysis as well as meet the optimum fiber loading on the filter. FOH collected the samples for approximately 2 hours. Air samples were collected from common areas, mechanical air handle rooms, storages, file rooms and in occupied office spaces. A total of sixty-nine (69) air samples, four lab blanks and four field blanks were collected and analyzed for asbestos fiber concentrations using AHERA TEM.. All samples were analyzed by AMA Analytical Laboratory in Lanham, MD, an American Industrial Hygiene Association (AIHA) accredited laboratory.

D. RESULTS

Laboratory analysis indicated fiber levels for all samples to be less than (<) 15 s/mm2. In structures per cubic centimeter (s/cc) the results ranged from <0.0037 to <0.0048 s/cc of air. Complete laboratory results and sample location plans can be found in Section F-Supporting Documents of this report.

E. DISCUSSION AND RECOMMENDATIONS

There are currently no regulations for general area air sampling for asbestos and no regulatory action levels by which results may be directly compared. The US Occupational Safety and Health Administration (OSHA) has regulations for worker exposure which entails sample collection by placing the sampling device in the employee's breathing zone. However, this was not the case and therefore FOH will not compare the area sampling results to the OSHA PEL of 0.01 fibers per cubic centimeter. The US EPA has regulations for area air sampling within containment after an asbestos abatement has been completed. When performing general area asbestos air sampling, FOH compares results to the EPA regulations. There are some differences in the method of collection since FOH did not collect the samples in containment but the clearance level is the same.

For TEM samples, EPA uses the clearance level of 70 s/mm² after an asbestos removal has been completed. This is the level at which EPA considers the space appropriate to return to general occupancy. All of the samples collected by FOH have levels less than 70 s/mm².

The MOA between GSA and USCIS states that results less than 0.005 s/cc are considered acceptable. All results were below less than 0.005 s/cc of air.

FOH recommends that any work that is done above the ceiling, in the plenum area, is completed after hours while utilizing a negative pressure mini-containment. This will limit the disturbance of the dust on the top of the ceiling tiles.

F. SUPPORTING DOCUMENTS

The following supporting documents are attached to the report:

Laboratory Report/Chain of Custody for initial sampling (18 pages)



CERTIFICATE OF ANALYSIS

Lab Code 101143-0

Lab ID 10920

601758 Chain of Custody:

Client: FOH Boston Area Office/George Bearer

Address: JFK Building - Room E-110

> **Government Center** Boston, MA 02203

Attention: Michael Pinkerton Job Name: Chet Holifield

Job Location: 24000 Avila Road

Job Number: 9835005913

P.O. Number: Not Provided

Date Submitted: 08/22/2017

08/27/2017 Date Analyzed:

Date Sampled:

Report Date: 08/28/2017

08/08/2017 - 08/09/2017

Person Submitting: Michael Pinkerton

Summary of Transmission Electron Microscopy

Filter Type:	MCE		Poi	re Size:	0.45 um			Filter Size:	25	mm (385	i mm²)	
AMA Sample Number	Client Sample Number	Volume (L)	Area Analyzed (mm²)	Analytical S	Sensitivity	Asb	estos	# Non Asbestos Structures	Conce	entration	Sample Type	Comments
				5/66		Amount/Type	<5μm >=5μm		s/mm²	s/cc		
601758-1	080817-4-60-MP	1268.0	0.0665	0.0046		0		0	<15	<0.0046	N/P	
601758-2	080817-6-66-MP	1242.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-3	080817-3-46-MP	1264.0	0.0665	0.0046		0		0	<15	<0.0046	N/P	
601758-4	080817-3-50-MP	1252.0	0.0665	0.0046		0		0	<15	<0.0046	N/P	
601758-5	080817-2-34-MP	1229.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-6	080817-2-35-MP	1252.0	0.0665	0.0046		0		0	<15	<0.0046	N/P	
601758-7	080817-2-36-MP	1222.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-8	080817-2-37-MP	1217.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-9	080817-2-38-MP	1221.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-10	080817-2-39-MP	1208.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-11	080917-3-58-MP	1211.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-12	080917-3-54-MP	1243.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-13	080917-3-53-MP	1228.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-14	080917-3-49-MP	1239.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-15	080917-3-48-MP	1219.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-16	080917-3-47-MP	1215.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-17	080917-1-11-MP	1202.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-18	080917-4-63-MP	1203.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-19	080917-1-12-MP	1209.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	
601758-20	080917-7-69-MP	1237.0	0.0665	0.0047		0		0	<15	<0.0047	N/P	
601758-21	080917-7-68-MP	1202.0	0.0665	0.0048		0		0	<15	<0.0048	N/P	



CERTIFICATE OF ANALYSIS

Chain of Custody: 601758

Client: FOH Boston Area Office/George Bearer

Address: JFK Building - Room E-110

Government Center Boston, MA 02203

Attention: Michael Pinkerton

Job Name: Chet Holifield

Job Location: 24000 Avila Road

Job Number: 9835005913

P.O. Number: Not Provided

Pore Size:

Date Submitted: 08/22/2017

Date Analyzed: 08/27/2017

Report Date: 08/28/2017

Filter Size:

Date Sampled: 08/08/2017 - 08/09/2017

25 mm (385 mm²)

Person Submitting: Michael Pinkerton

Summary of Transmission Electron Microscopy

0.45 um

Tiller Type.	WCL		FOI	e 512e. 0.45 un	.,	i iitei Size.	23	(50	, ,,,,,,	
AMA Sample Number	Client Sample Number	Volume (L)	Area Analyzed (mm)	Analytical Sensitivity	y Asbestos	# Non Asbestos Structures	Conce	ntration	Sample Type	Comments
				s/cc	Amount/Type <5μm >=5μn	n	s/mm	s/cc		
601758-23	080817-Blank1		0.0						BLK	Not Analyzed
601758-24	080817-Blank2		0.0						BLK	Not Analyzed
601758-25	080917-Blank1		0.0						BLK	Not Analyzed
601758-26	080917-Blank2		0.0						BLK	Not Analyzed

Analytical procedures used meet or exceed the AHERA "Interim Transmission Electron Microscopy Analytical Methods" protocol described in Appendix A to Subpart E of 40 CFR Part 763.

All results are to be considered preliminary and subject to change unless signed by the Technical Director or Deputy.

Analyst(s): Michael Creaghan

Filter Tyne:

Technical Director Andreas Saldivar

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from us. Sample types, locations, and collection protocols are based upon the information provided by the persons submitting them and, unless collected by personnel of these Laboratories, we expressly disclaim any knowledge and liability for the accuracy and completeness of this information. Residual sample material will be discarded in accordance with the appropriate regulatory guidelines, unless otherwise requested by the client. NVLAP accreditation applies only to polarized light microscopy of bulk samples and transmission electron microscopy of AHERA air samples. This report must not be used to claim, and does not imply product certification, approval, or endorsement by NY ELAP, NVLAP, NIST, or any agency of the Federal Government. All rights reserved. AMA Analytical Services, Inc.

Focused on Results www.amalab.com AIHA (#100470) NVLAP (#101143-0) NY ELAP (10920) 4475 Forbes Blvd. • Lanham, MD 20706 (301) 459-2640 • (800) 346-0961 • Fax (301) 459-2643

CHAIN OF CUSTODY

(Please Refer To This Number For Inquires)

Mailing/Billing Inform	nation: I Boston Area Office						bmitt			et Ho	امانانا	Ч						
	uilding Doom F 440									24000			ad		16			
3. Address 2: Gover										350				-	D.O			
4. Address 3: Bosto													erton		P.O	0. #:	310-382-4482	
5. Phone #: 240-429		#-					Subi	mitted	Lby.	Micha	ael P	inker	ton			Signature:	010-002-4402	
	nfo (Results provided as soon					T/Ren	ortin	g Info	is nr	rovide	d. AN	/A w	ill acci	ion de	fault	of 5-Day and smail	il/fay to contacts on	file
	ust be pre-scheduled)	do reemin	any reason			L BUS				Ovide	u, rin	III W	111 4551	ign de	launs			1 ICHAEL - PIPKE
	3:	☐ Immed ☐ Next D ☐ 2 Day		□ 3 D	av	5/2		_		ults Re	quired	By No	oon	F	Email:	COC/Field Data Sheet YOUR_EMAIL	s with Report a efiglobal.com	7 CHAEL - PIPEO
						1.												
PLM Bulk □ EPA 600 - Visual I □ EPA Point Count_ □ NY State Friable 1 □ Grav. Reduction E □ Other (specify_ MISC □ Vermiculite □ Asbestos Soil PLM_	(QTY) (QTY) te Filter Type:	PLM/TEM(Q	TEM Bulk	State Pidual As . (pres/ n. (s/arc n. (s/arc n. (s/arc 100.1_ amples Vater s:	LM/TE sh abs) Vac ea) Vac ea) Dust abs) 2/EPA receive amples ts are sui	acuum/luum Dit D6480	(Q? Dust 5755-9)-99 (QTY ood co:_^2C) there is	(QTY) (QTY) no need	(QTY)	_(QTY	(TY)	noted.	Funga	Pb Pa *Pb D *Pb A Pb So Pb TC Drink Waste Pb Fu I Anal Collec Collec *Spor *Surfa *Surfa Other (S	int Chi oust Wi ir il/Solid LP ing Wa water rnace (ysis tion Ap tion M e-Trap ace Sw ace Tap Specify	/	Cu(QTY) □ As Cu(QTY) □ As Cu(QTY) □ As Cu(QTY) Os/Air Samples: Culturable ID Genus (Media	(QTY) (QTY) (QTY) (QTY) (QTY)
			-											28		,		
	See Attached Field Data S	heets											8.33	i dired				
												in the				Date/Time:	Contact:	By:
														e de la constante de la consta				
				CONTRACTOR OF THE PARTY OF THE				10										-
				Pia.			8							40-00		Date/Time:	Contact:	By:
T 2000 00 100 00 00 00 00 00 00 00 00 00 00									3									
	IN WASHINGTON TO A PROPERTY OF THE PROPERTY OF	AUG 2	2 2017															
LABORATORY	1. Date/Time RCVD:	/_	/	@		Via	:	0		Ву	(Print)	:/	70	>		THE STATE OF	Sign:	
STAFF ONLY:	2. Date/Time Analyzed: _	/_	/_		_@]	By (Pr							,	:	Sign:		
(CUSTODY)	3. Results Reported To:_ 4. Comments:				VOINT A			Vi	a:		7	Date:		_/-	100	_/ Time: _	Ir	nitials:

Date Collected: 8-8-17
Contact Person: M. Pipkerton
Job Number: 9835005913

Job Name: RHE FOH CHET HOLIFIELD

Job Location: 24000 ADILA ROAD

Address: LACOPA PIGOEL, CA

Company: Federal Occupational Health
Phone Number: 310-854-6300
Collected By: 4. Pipe Extending

Sample Number	Sample Description Location	Start Time	Stop Time	Total Minutes	Start Flow Rate (L/m)	Stop Flow Rate (L/m)	Flow Average (L/m)	Total Air Volume (Liters)
080817-4-60-MP	4-60	7:57	10:04	127	10.05	9.973	9.987	1,268
080817 - 6-66-MP	6-66	8:02	10:06	124	10.00	9.966	10.013	1,242
080817-3-46-HP	3-46	8:08	10:14	126	10.07	9.991	10.031	1,264
080817 - 3-50-HP	3-50	8:14	10:26	176	10.09	9.782	9.936	1,252
086817 - Z-34-MP	2-34	11:08	13:08	176	10.06	10.42	10.24	1,229
080817-2-35-MP	z-3S	11:17	13:17	170	10.12	10.75	10.435	1,252
080817 - 2-36 -MP	2-36	11:53	13123	170	10.05	10.32	16.185	1,222
080817 - 2-37 -MP	7-37	11:-78	13:26	120	10.07	10.21	16.14	1,217
080817 - 2-38-MP	2-38	lı: 33	13:33	120	10.10	16-25	10.175	1,221
080817 -Z-39-MP	7-39	11:45	13:47	170	10.07	16.07	10.07	1,208
080817-BU-49	BLAPKI	-						

Date Collected: 8/8/17 + 8/9/17
Contact Person: M. PIPKERTOD
Job Number: 9635005913

Job Name: FOH CHET HOLIFIELD

Job Location: Z4000 ADILA ROAD

Address: LACOPA PICOEL CA

Page: 7 of 3

Company: Federal Occupational Health

Phone Number: 30 65 4-6300

Collected By: M. Pokerop

Sample Number	Sample Description Location	Start Time	Stop Time	Total Minutes	Start Flow Rate (L/m)	Stop Flow Rate (L/m)	Flow Average (L/m)	Total Air Volume (Liters)
080817-BLZ-MP	BLAPKZ	3:37						
080917 - 3-S8-MP	3-58	10:39	12:35	116	16.68	10.81	10.445	1, 211
080917 - 3-54 -MP	3-54	10:49	12:49	120	10.08	10.63	10.355	1,743
080917-3-53-MP	3-53	10156	15:20	120	16.06	10.41	10.235	1,728
080917 - 3-49-MP	3-49	10:56	12:54	His His	10.18	10.47	10.325	1,739
080917-3-48-MP	3-48	11:02	13:02 18191	120	10.18	10.14	10.16	1,719
080917-3-47-MP	3-47	11:06	13:04 10:04	118-	16.14	16, 45	16.795	1,215
080917 - 1-11 -MP	l- Cr	13:06	13:03	117	10.15	10.40	10.275	1,202
080917-4-63-MP	4-63	13:13	15 109	116	10.18	1056	10.37	1,703
080917 -1-12 -MP	1-12	13:26	15:18	118	10.13	10.36	10.245	1,209
080917 - 7-69-MP	269	13:27	15:28	121	10.14	10.30	10.22	1,734.62

Date Collected: 8/8/12 + 8/5/12
Contact Person: M. PIPKEETOD
Job Number: 9835005913

Job Location: 24000 40114 ROAD

Address: LACOPA MICHEL CA

Page: 3 of 3
Company: Federal Occupational Health
Phone Number: 30-654-6300
Collected By: M. APKERTOP

Sample Number	Sample Description Location	Start Time	Stop Time	Total Minutes	Start Flow Rate (L/m)	Stop Flow Rate (L/m)	Flow Average (L/m)	Total Air Volume (Liters)
080917 - 7-68 - MP	7-68	13:31	15:29	118	10.11	16.27	10.19	1,202
080917-BC1-MP	BLAPK 1	-						
080917-BCZ-MD	BIAPKZ							
		1.						



Job Name:

CERTIFICATE OF ANALYSIS

FOH CHET Holifield

Job Location: 24000 Avila Road, Laguna Niguel, CA

92677

Job Number: 9835005913

P.O. Number: Not Provided

Date Submitted: 08/22/2017

Date Analyzed: 08/29/2017

Report Date: 08/29/2017

Date Sampled: 08/08/2017 - 08/09/2017

NY ELAP

Lab ID 10920

Person Submitting: Michael Pinkerton

601762 Chain of Custody:

Client: FOH Boston Area Office/George Bearer

Address:

JFK Building - Room E-110

Government Center Boston, MA 02203

Attention:

Michael Pinkerton

Summary of Transmission Electron Microscopy

Analysis Analysis	Filter Type:	MCE		Por	e Size:	0.45 um			Filter Size:	25 n	nm (385 ı	mm²)	
Company Comp	AMA Sample Number	Client Sample Number	Volume (L)	Area Analyzed (mm²)	•	Sensitivity	A	sbestos	# Non Asbestos Structures	Conce	entration	Sample Type	Comments
601762-2 080817-1-22-MIR 1404.0 0.0665 0.0041 0 0 0 -15 -0.0041 NIP 601762-3 080817-1-17-MIR 1363.0 0.0665 0.0042 0 0 0 -15 -0.0042 NIP 601762-4 080817-1-18-MIR 1372.0 0.0665 0.0042 0 0 0 -15 -0.0042 NIP 601762-5 080817-1-20-MIR 1337.0 0.0665 0.0043 0 0 -15 -0.0043 NIP 601762-6 080817-1-10-MIR 1299.0 0.0665 0.0045 0 0 -15 -0.0045 NIP 601762-7 080817-2-32-MIR 1533.0 0.0665 0.0038 0 0 0 -15 -0.0038 NIP 601762-8 080817-2-33-MIR 1542.0 0.0665 0.0038 0 0 0 -15 -0.0038 NIP 601762-9 080817-2-40-MIR 1511.0 0.0665 0.0038 0 0 0 -15 -0.0038 NIP 601762-10 080817-2-41-MIR 1546.0 0.0665 0.0037 0 0 -15 -0.0038 NIP 601762-11 080817-2-42-MIR 1557.0 0.0665 0.0037 0 0 -15 -0.0037 NIP 601762-12 080817-2-43-MIR 1444.0 0.0665 0.0037 0 0 -15 -0.0037 NIP 601762-13 080817-2-44-MIR 1371.0 0.0665 0.0042 0 0 -15 -0.004 NIP 601762-14 080917-2-27-MIR 1377.0 0.0665 0.0042 0 0 -15 -0.004 NIP 601762-15 080917-2-28-MIR 1300.0 0.0665 0.0042 0 0 -15 -0.004 NIP 601762-16 080917-2-28-MIR 1300.0 0.0665 0.0042 0 0 -15 -0.004 NIP 601762-17 080917-2-28-MIR 1300.0 0.0665 0.0042 0 0 -15 -0.004 NIP 601762-18 080917-2-28-MIR 1308.0 0.0665 0.0044 0 0 0 -15 -0.004 NIP 601762-18 080917-2-28-MIR 1308.0 0.0665 0.0044 0 0 0 -15 -0.004 NIP 601762-19 080917-2-28-MIR 1308.0 0.0665 0.0044 0 0 0 -15 -0.0044 NIP 601762-19 080917-2-28-MIR 1308.0 0.0665 0.0044 0 0 0 -15 -0.0044 NIP					s/cc		Amount/Typ	oe <5μm >=5μm		s/mm²	s/cc		
601762-3 080817-1-17-MR 1363.0 0.0665 0.0042 0 0 0 15 0.0042 N/P	601762-1	080817-1-21-MR	1365.0	0.0665	0.0042		0		0	<15	<0.0042	N/P	
601762-4 080817-1-18-MR 1372.0 0.0665 0.0042 0 0 <15 <0.0042 NP 601762-5 080817-1-10-MR 1337.0 0.0665 0.0043 0 0 <15	601762-2	080817-1-22-MR	1404.0	0.0665	0.0041		0		0	<15	<0.0041	N/P	
601762-5 080817-1-20-MR 1337.0 0.0685 0.0043 0 0 <15 <0.0043 NP 601762-6 080817-1-10-MR 1299.0 0.0665 0.0045 0 0 <15	601762-3	080817-1-17-MR	1363.0	0.0665	0.0042		0		0	<15	<0.0042	N/P	
601762-6 080817-1-10-MR 1299.0 0.0665 0.0045 0 0 <15 <0.0045 N/P 601762-7 080817-2-32-MR 1533.0 0.0665 0.0038 0 0 <15	601762-4	080817-1-18-MR	1372.0	0.0665	0.0042		0		0	<15	<0.0042	N/P	
601762-7 080817-2-32-MR 1533.0 0.0665 0.0038 0 0 <15 <0.0038 N/P 601762-8 080817-2-33-MR 1542.0 0.0665 0.0038 0 0 <15	601762-5	080817-1-20-MR	1337.0	0.0665	0.0043		0		0	<15	<0.0043	N/P	
601762-8 080817-2-33-MR 1542.0 0.0665 0.0038 0 0 <15 <0.0038 N/P 601762-9 080817-2-40-MR 1511.0 0.0665 0.0038 0 0 <15	601762-6	080817-1-10-MR	1299.0	0.0665	0.0045		0		0	<15	<0.0045	N/P	
601762-9 080817-2-40-MR 1511.0 0.0665 0.0038 0 0 <15 <0.0038 N/P 601762-10 080817-2-41-MR 1546.0 0.0665 0.0037 0 0 <15	601762-7	080817-2-32-MR	1533.0	0.0665	0.0038		0		0	<15	<0.0038	N/P	
601762-10 080817-2-41-MR 1546.0 0.0665 0.0037 0 0 <15	601762-8	080817-2-33-MR	1542.0	0.0665	0.0038		0		0	<15	<0.0038	N/P	
601762-11 080817-2-42-MR 1557.0 0.0665 0.0037 0 0 <15	601762-9	080817-2-40-MR	1511.0	0.0665	0.0038		0		0	<15	<0.0038	N/P	
601762-12 080817-2-43-MR 1444.0 0.0665 0.004 0 0 <15	601762-10	080817-2-41-MR	1546.0	0.0665	0.0037		0		0	<15	<0.0037	N/P	
601762-13 080917-2-44-MR 1371.0 0.0665 0.0042 0 0 <15	601762-11	080817-2-42-MR	1557.0	0.0665	0.0037		0		0	<15	<0.0037	N/P	
601762-14 080917-2-27-MR 1377.0 0.0665 0.0042 0 0 <15	601762-12	080817-2-43-MR	1444.0	0.0665	0.004		0		0	<15	<0.004	N/P	
601762-15 080917-2-28-MR 1300.0 0.0665 0.0045 0 0 <15	601762-13	080917-2-44-MR	1371.0	0.0665	0.0042		0		0	<15	<0.0042	N/P	
601762-16 080917-2-29-MR 1289.0 0.0665 0.0045 0 0 <15	601762-14	080917-2-27-MR	1377.0	0.0665	0.0042		0		0	<15	<0.0042	N/P	
601762-17 080917-2-30-MR 1308.0 0.0665 0.0044 0 0 <15	601762-15	080917-2-28-MR	1300.0	0.0665	0.0045		0		0	<15	<0.0045	N/P	
601762-18 080917-2-31-MR 1253.0 0.0665 0.0046 0 0 <15 <0.0046 N/P 601762-19 080917-1-13-MR 1416.0 0.0665 0.0041 0 0 <15	601762-16	080917-2-29-MR	1289.0	0.0665	0.0045		0		0	<15	<0.0045	N/P	
601762-19 080917-1-13-MR 1416.0 0.0665 0.0041 0 0 <15 <0.0041 N/P	601762-17	080917-2-30-MR	1308.0	0.0665	0.0044		0		0	<15	<0.0044	N/P	
	601762-18	080917-2-31-MR	1253.0	0.0665	0.0046		0		0	<15	<0.0046	N/P	
601762-20 080917-1-14-MR 1415.0 0.0665 0.0041 0 0 <15 <0.0041 N/P	601762-19	080917-1-13-MR	1416.0	0.0665	0.0041		0		0	<15	<0.0041	N/P	
	601762-20	080917-1-14-MR	1415.0	0.0665	0.0041		0		0	<15	<0.0041	N/P	
601762-21 080917-1-9-MR 1408.0 0.0665 0.0041 0 0 <15 <0.0041 N/P	601762-21	080917-1-9-MR	1408.0	0.0665	0.0041		0		0	<15	<0.0041	N/P	



Chain of Custody: 601762

Filter Type:

Client: FOH Boston Area Office/George Bearer

Address: JFK Building - Room E-110

Government Center Boston, MA 02203

MCE

Attention: Michael Pinkerton

CERTIFICATE OF ANALYSIS

Job Name: FOH CHET Holifield

1 OTT OTTET TIOIMEIG

Job Location: 24000 Avila Road, Laguna Niguel, CA

92677

Job Number: 9835005913

P.O. Number: Not Provided

Date Submitted: 08/22/2017

Date Analyzed: 08/29/2017

Report Date: 08/29/2017

Date Sampled: 08/08/2017 - 08/09/2017

25 mm (385 mm²)

Person Submitting: Michael Pinkerton

Summary of Transmission Electron Microscopy

AMA Sample Number Client Sample Number Volume (L) Area Analyzed (mm) Analytical Sensitivity Asbestos # Non Asbestos Structures Concentration Sample Type Comments

s/cc

Amount/Type 45 tm 2-5 tm

0.45 um

AMA	A Sample Number	Client Sample Number	volume (L)	Area Analyzed (mm)	Analytical Sensitivity	Aspestos	# Non Aspestos Structures	Conce	entration Sample Type	Comments
					s/cc	Amount/Type <5μm >=5μn	1	s/mm	s/cc	
6017	762-22	080917-5-65-MR	1369.0	0.0665	0.0042	0	0	<15	<0.0042 N/P	
6017	762-23	080917-4-62-MR	1410.0	0.0665	0.0041	0	0	<15	<0.0041 N/P	
6017	762-24	080917-4-61-MR	1383.0	0.0665	0.0042	0	0	<15	<0.0042 N/P	

Analytical procedures used meet or exceed the AHERA "Interim Transmission Electron Microscopy Analytical Methods" protocol described in Appendix A to Subpart E of 40 CFR Part 763.

Pore Size:

All results are to be considered preliminary and subject to change unless signed by the Technical Director or Deputy.

Analyst(s): Izabelle Mendez, Michael Greenberg

Technical Director

Filter Size:

ındreas Saldivar

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from us. Sample types, locations, and collection protocols are based upon the information provided by the persons submitting them and, unless collected by personnel of these Laboratories, we expressly disclaim any knowledge and liability for the accuracy and completeness of this information. Residual sample material will be discarded in accordance with the appropriate regulatory guidelines, unless otherwise requested by the client. NVLAP accreditation applies only to polarized light microscopy of bulk samples and transmission electron microscopy of AHERA air samples. This report must not be used to claim, and does not imply product certification, approval, or endorsement by NY ELAP, NVLAP, NIST, or any agency of the Federal Government. All rights reserved. AMA Analytical Services, Inc.

Focused on Results www.amalab.com AIHA (#100470) NVLAP (#101143-0) NY ELAP (10920) 4475 Forbes Blvd. • Lanham, MD 20706

(301) 459-2640 • (800) 346-0961 • Fax (301) 459-2643

CHAIN OF CUSTODY

(Please Refer To This Number For Inquires)

Mailing/Billing Informa						St	ıbmit	tal In	forma	tion:								
1. Client Name: FOH E														OLIF				
2. Address 1: JFK Bui						2.	Job	Locat	ion:_	246	000	AU	ILA	ROST	D,	LACUPA M	GUEL, CA 971	677
3. Address 2: Governr						3.	Job	#:	98	3500	59	13			_ P.C). #:		1,5
4. Address 3: Boston,						4.	Con	tact P	erson	M	·PIL	DKER	CTON			@ phon	e# 310-854-	4300
5. Phone #: <u>240-429-7</u>		#:				. 5.	Sub	mitted	by:	7 1	1.PI	PKE	RTO	N	5	Signature:	1110	
	(Results provided as soon	as technic	cally feasib			T/Re	portir	ng Info	o is pr	ovide	d, AN	IA wi	ill ass	ign de	faults	s of 5-Day and é	mail/fax to contacts o	
		☐ Immed ☐ Next D ☐ 2 Day		3 D	orma ay ay + 5			_		ılts Re	quired	By No	oon		mail:_ ax:_ ^{also}	COC/Field Data S VOUR CEMAIL O email LYNDA_MCDERMOT	@ efiglobal.com	No.
												1.8	2		erbals	:		
☐ NY State Friable 198. ☐ Grav. Reduction ELA ☐ Other (specify	(QTY)(QTY) Filter Type: 28(QTY)(QTY)(QTY)(QTY)(QTY)	PLM/TEM(Q		State P. dual As . (pres, n. (s/ard n. (s/ard n. (s/ard n. (s/ard n. (pres, P 198 100.1_amples Vater s: ata shee	LM/TE sh	Macuum/ uum D D648	(Q /Dust /5755-9 0-99 . (QTY ood co _^2C) there is	(QTY)	QTY) (QTY unles	(QTY) (QTY) s other	ewise n	oted.	Funga	*Pb D *Pb A Pb Soi Pb TC Drinki Waste Pb Fut I Analy Collect *Spore *Surfa *Surfa Other (S	nt Chi ust Wi ir il/Solid LP ng Wa Water resis ion Ap ion M -Trap ce Sw ce Tap pecify_	d (QTY) d (QTY) d (QTY) ater Db (QT Db (QTY) (Media (QTY) ater QTY) ab (QTY) ab (QTY) ab (QTY) ab (QTY)	TY) Y) □ Cu(QTY) □ A □ Cu(QTY) □ A □ (QTY) □ Traps/Air Samples:	As(QTY) s(QTY) '')
	N AHI I F' I I D I - O	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1906			War 1		100					*		
0	See Attached Field Data S	neets		100							11					2.7		
					100				200							Date/Time:	Contact:	By:
						7.5		To a	81.7.5					00/844				
			200000000000000000000000000000000000000			1000						186						
																	V.	
			27590					1.3	680	1			M.	13.21		Date/Time:	Contact:	By:
										01000								
		Photo No.	10-20/77												ang			
LABORATORY	Date/Time RCVD: Date/Time Analyzed:		2 2017	@	@_ 10(5					By	(Print):	-7	3t	w		Sign:	Sign:	
STAFF ONLY: (CUSTODY)	3. Results Reported To:_							Via			I	Date: _		_/_			ne:]	Initials:

Date Collected: 8/8/17
Contact Person: M. PIPKERTOP

Job Number: 983500 5913

FOH Chet Holifield Job Name:

Job Location:

2400 Avila Road Lagung Niguel, CA 92677 Address:

Company: Federal Occupational Health Phone Number: 310 - 854-6300 Collected By: Matthew Rodriguez

Sample Number	Sample Description Location	Start	Stop	Total minutes	Start	Stop	Flow Avg.	Air Volume (Liters)
080817-121 MP	CSC Warehouse	7:55	10:14	139	10.10	9.55	9.83	1,365
080817-1-22 MR	CSC Warehouse	7:58	10:17	139	10.20	10.01	10.11	1,404
080817-1-17 MIZ	CSC 1610	8:05	10:22	137	10.01	9.9	9.96	1,363
080817-1-18M/2	CSC 1610	8'09	10;25	136	10.17	10.01	10.09	1,372
080817-1-20 MR	CSC 1610	8;16	10:28	132	10.26	10.01	10.14	1,337
080817 - 1-10 MR	CSC 1700	8,26	[0,]6	130	10.02	9.97	10.00	1,299
080817 - 2-32 MIL	CSC 2500	10:45	1.15	150	10.21	10.23	10.22	1,533
080817 - 2-33 MR	CSC 2500	10:46	1:17	151	10.43	10.00	10.22	1,542
080817 - 2-40 MR	CSC 2300	10:55	1:23	148	W. 25	6.17	10.21	1,511
080817 -2-41 MIL	Gym	11:00	1:31	15-1	10.36	10.12	10.25	1,546
080817 -2-42 MR	CSC 2607	11:01	1,27	136	(0.00	q.97	9.99	1,557

Contact Person: M. YLE.

Contact Person: 9835005913 Date Collected: 4. DIDEECTON

> Job Name: _____ Job Location: Address: FOH CHET CHOOD ANILA ROAD LACUPA PIGOEL, CH HOLIFIED 97677

Page: \sim of \sim Company: Federal Occupational Health Phone Number: \sim 310 - \sim 300 Collected By: M. POD RICOEZ

Sample Number	Sample Description Location	Start	Stop	Total minutes	Start	Stop	Flow Avg.	Air Volume (Liters)
080817-2-43 MR	CSC 2107	11/2	1:34	142	77.0]	[0.12	[0.17	1,444
080917-2-44 MD	CSC 267	7.47	ho; 01	137	lo. 11	9.91	10.01	1,321
080917 -2-27 MM	csc wedge conf. Room	75.5	7.52 10:08	136	10.23	10.05	10.13	1,327
W 82-2 - 616080	SC 07T	8.00	10.M	132	1001	9.7	9.86	1,300
080917 -2-29 MC	CSC 2200	21.8	[o: q	127	2007	[0.28	10.15	1,289
080917 -2-30 MR	CSC 1200	6.8	10:16	129	[0.13	9.93	10.15	1,308
080917 - 2-31-MR	CSC 2200	8:17	10:22	125	10.12	9,94	10.03	1,253
080917- 1-13 -MR	CBP A 1640A	(0;43	1:03	140	11.01	[0.13	(0.12	1,416
080917-1-14-MP	CBP (GHO)3	10:46	30.1	140	10.28	994	10.11	1, 4/5
JW-5-1-4-WL	CBP 1640D	10: 54	[].	139	(0.20	[0.07	10.14	1,408
080917-5-65-MR	CBB SOLD	00:11	1:19	ままれ	9.9%	9.73	9.8%	1,369

Please Return Samples To:
AMA Analytical Services, Inc., 4475 Forbes Blvd., Lanham, MD 20706, (800) 346-0961 / (301) 459-2640 Fax, www.amalab.com, info@amalab.com

Date Collected: 8/8/17 + 8/9/17Contact Person: $14 \cdot 17 \cdot 18/17 \cdot 18/17$ Job Number: 9835005913

Job Name: _____ Job Location: Address: FON CHET HOLIFIED LAC UNA 1016051 (A 9767)

Company: Federal Occupational Health Phone Number: 310-454-6300 Collected By: M. PODELCUEZ Page: 3 of 3

		080917-BLZ-WR	080917-BU-MR	080817-B12-MR	080817-BLI-MR	0 80917-4-61-MA	080917-4-62-MR	Sample Number
		B14016#2	BLADK#1	B47542	BLADIC #1	GSA	7 <i>CE</i>	Sample Description Location
			(1		9:11	11.06	Start
						1,29	1.24	Stop
						139	138	Total minutes
						50:01	[0.31	Start
						9.85	[6.13	Stop
						9.95	10.22	Flow Avg.
						1/38-3	1,410	Air Volume (Liters)

Please Return Samples To:
AMA Analytical Services, Inc., 4475 Forbes Blvd., Lanham, MD 20706, (800) 346-0961 / (301) 459-2640 Fax, www.amalab.com, info@amalab.com



CERTIFICATE OF ANALYSIS

Lab Code 101143-0

NY ELAP

Lab ID 10920

601764 Chain of Custody:

FOH Boston Area Office/George Bearer Client:

Address: JFK Building - Room E-110

> **Government Center** Boston, MA 02203

Attention: Michael Pinkerton Job Name: Chet Holifield

Job Location: 24000 Avilia Road

Job Number: 9835005913

P.O. Number: Not Provided

Date Submitted: 08/22/2017

Date Analyzed: 08/29/2017


Report Date: 08/29/2017

Date Sampled: 08/08/2017 - 08/09/2017

Person Submitting: Michael Pinkerton

Summary of Transmission Electron Microscopy

Filter Type:	MCE			Pore Size:	0.45 um	Filter Size:		25 mm (38	35 mm²)
AMA Sample Number	Client Sample Number	Volume (L)	Area Analyzed (mm ²)	Analytical Sensitivity s/cc	Asbestos Amount/Type <5µm >=5µm	# Non Asbestos Structures	Concentration	Type	Comments
601764-1	080817-1-15-JW	1339.2	0.0			-		N/P	VOID: Overloaded with particulate.
601764-2	080817-1-16-JW	1305.48	0.0665	0.0044	0	0	<15 <0.00	14 N/P	
601764-3	080817-1-24-JW	1327.34	0.0665	0.0044	0	0	<15 <0.00	14 N/P	
601764-4	080817-1-23-JW	1274.88	0.0665	0.0045	0	0	<15 <0.00	15 N/P	
601764-5	080817-1-2-JW	1283.55	0.0665	0.0045	0	0	<15 <0.00	15 N/P	
601764-6	080817-1-3-JW	1245.0	0.0665	0.0047	0	0	<15 <0.00	16 N/P	
601764-7	080817-1-5-JW	1242.5	0.0665	0.0047	0	0	<15 <0.00	17 N/P	
601764-8	080817-1-6-JW	1225.08	0.0665	0.0047	0	0	<15 <0.00	17 N/P	
601764-9	080817-1-7-JW	1233.8	0.0665	0.0047	0	0	<15 <0.00	17 N/P	
601764-10	080817-1-8-JW	1215.12	0.0665	0.0048	0	0	<15 <0.00	18 N/P	
601764-11	080817-1-4-JW	1207.58	0.0665	0.0048	0	0	<15 <0.00	18 N/P	
601764-12	080817-3-51-JW	1203.95	0.0665	0.0048	0	0	<15 <0.00	18 N/P	
601764-13	080917-3-56-JW	1333.3	0.0665	0.0043	0	0	<15 <0.00	13 N/P	
601764-14	080917-3-52-JW	1314.72	0.0665	0.0044	0	0	<15 <0.00	14 N/P	
601764-15	080917-3-55-JW	1272.32	0.0665	0.0046	0	0	<15 <0.00	16 N/P	
601764-16	080917-3-57-JW	1268.73	0.0665	0.0046	0	0	<15 <0.00	16 N/P	
601764-17	080917-3-59-JW	1245.0	0.0665	0.0047	0	0	<15 <0.00	16 N/P	
601764-18	080917-3-45-JW	1238.76	0.0665	0.0047	0	0	<15 <0.00	17 N/P	
601764-19	080917-6-67-JW	1398.6	0.0665	0.0041	0	0	<15 <0.00	11 N/P	
601764-20	080917-5-64-JW	1388.61	0.0665	0.0042	0	0	<15 <0.00	12 N/P	



CERTIFICATE OF ANALYSIS

Chain of Custody: 601764

Client: FOH Boston Area Office/George Bearer

JFK Building - Room E-110 Address:

> **Government Center** Boston, MA 02203

Michael Pinkerton Attention:

Job Name: Chet Holifield **Date Submitted:** 08/22/2017

Job Location: 24000 Avilia Road Date Analyzed: 08/29/2017

Job Number: 9835005913 **Report Date:** 08/29/2017

P.O. Number: Not Provided Date Sampled: 08/08/2017 - 08/09/2017

> Person Submitting: Michael Pinkerton

Summary of Transmission Electron Microscopy

Filter Type: MCE Pore Size: 0.45 um Filter Size: 25 mm (385 mm²) **Asbestos** # Non Asbestos Sample **AMA Sample** Client Sample Volume Area Analyzed Analytical Concentration Comments Number Number (L) (mm) Sensitivity Structures Type Amount/Type <5μm >=5μm s/mm s/cc s/cc 601764-21 080917-1-19-JW 1348.65 0.0665 0.0043 0 0 <15 <0.0043 N/P 0 0 601764-22 080917-1-25-JW 1266.25 0.0665 0.0046 <15 <0.0046 N/P 0 0 601764-23 080917-1-26-JW 1223.85 0.0665 0.0047 <15 <0.0047 N/P 080917-1-1-JW 0 0 601764-24 1222.44 0.0665 0.0047 <15 <0.0047 N/P 601764-27 0.0 BLK 080817-BL1-JW Not Analyzed 601764-28 080817-BL2-JW 0.0 **BLK** Not Analyzed 601764-29 080917-BL1-JW 0.0 BLK Not Analyzed 601764-30 080917-BL2-JW 0.0 BLK Not Analyzed

Analytical procedures used meet or exceed the AHERA "Interim Transmission Electron Microscopy Analytical Methods" protocol described in Appendix A to Subpart E of 40 CFR Part 763.

All results are to be considered preliminary and subject to change unless signed by the Technical Director or Deputy.

Analyst(s): Michael Creaghan

Technical Director

Andreas Saldivar

This report applies only to the sample, or samples, investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. As a mutual protection to clients, the public, and these Laboratories, this report is submitted and accepted for the exclusive use of the client to whom it is addressed and upon the condition that it is not to be used, in whole or in part, in any advertising or publicity matter without prior written authorization from us. Sample types, locations, and collection protocols are based upon the information provided by the persons submitting them and, unless collected by personnel of these Laboratories, we expressly disclaim any knowledge and liability for the accuracy and completeness of this information. Residual sample material will be discarded in accordance with the appropriate regulatory guidelines, unless otherwise requested by the client. NVLAP accreditation applies only to polarized light microscopy of bulk samples and transmission electron microscopy of AHERA air samples. This report must not be used to claim, and does not imply product certification, approval, or endorsement by NY ELAP. NVLAP, NIST, or any agency of the Federal Government. All rights reserved. AMA Analytical Services, Inc.

Focused on Results www.amalab.com AIHA (#100470) NVLAP (#101143-0) NY ELAP (10920) 4475 Forbes Blvd. • Lanham, MD 20706 (301) 459-2640 • (800) 346-0961 • Fax (301) 459-2643

CHAIN OF CUSTODY

(Please Refer To This Number For Inquires)

Mailing/Billing Information: 1. Client Name: FOH Boston Area Off	ioo				ittal In			1:4: _1	.1						•
2. Address 1: JFK Building - Room E-	110				b Name					1	20.0				
				3. Jo	b#:	78	350	039	13			P.O). #:	ne # 310-382-4482	
4. Address 3: <u>Boston, MA 02203</u>				4. Co	ontact P	erson:	MICI	naei	Pinke	erton			@ phor	ne # 310-382-4482	
5. Phone #: 240-429-7808 Reporting Info (Results provided)	Fax #:			5. St	bmittec	by: N	licha	ael P	ınker	on			Signature:	400	<u> </u>
Reporting Info (Results provided	d as soon as techni	cally feasible).	If no TA	T/Report	ing Info	o is pro	ovide	d, AN	AA wi	ll assi	gn de	faults			
AFTER HOURS (must be pre-scheduled)		NORMAL BUSINESS HOURS Immediate 3 Day REPOR Include COC/Field Data Sheets w							REPORT TO:	CHAEL PINKER					
☐ Immediate Date Due: ☐ 24 Hours Time Due:	☐ Next I				Ç	Resu	lts Rec	quired	By No	on		nclude	YOUR EMAIL	Sheets with Report @ efiglobal.com	
Comments:	2 Day	Dat	Day +	81291)						OF	ax: also	email LYNDA_MCDERMO	TT@EFIGLOBAL.COM	
					/								:		yes startially
Asbestos Analysis *PCM Air - Please Indicate Filter Type: NIOSH 7400 (QTY) Fiberglass (QTY) TEM Air* - Please Indicate Filter Type: AHERA #ol-samples (QTY) NIOSH 7402 (QTY) Other (specify (QTY) PLM Bulk PPA Point Count (QTY) NY State Friable 198.1 (QTY) Grav. Reduction ELAP 198.6 Other (specify) MISC Vermiculite Asbestos Soil PLM (Qual) PLM (Quan) PLM/T *It is recommended that blank samples be submitted with all ai SAMPLE INFORMA* CLIENT ID # SAMPLE LOCAI	(QTY) Y) (QTY) (QTY) EM_(Qual) PLM/TEM_(or and surface samples ATION DATE/	TEM Bulk □ ELAP 19 □ NY State □ Residual TEM Dust* □ Qual. (pr □ Quan. (state) □ Qual. (pr □ ELAP 19 □ ELAP 19 □ EPA 100 □ Alf samp (TEM Water VOL (L)/ Wipe Area	es/abs) Va varea) Vacu varea) Dust es/abs) 88.2/EPA 1 1 les receive r samples sheets are sub	M(cuum/Dust uum D5755 D6480-99 00.2(QT ed in good of the	-95(QTY) Y) condition is no need	(QTY)	other	wise n	Footed.	Cungal	Pb Pai *Pb D *Pb A Pb So Pb TC Drinki Waste Pb Fu Analy Collect *Sport *Surfa Other (S	int Chi tust Wi ir il/Solid CLP ing Wa Water rnace (ysis tion Ap tion M e-Trap ace Sw ace Tap pecify	QTY) d (QTY) d (QTY) teter Pb (Q' teter Pb (QTY) (Media (QTY) reflectia (QTY) reflectia (QTY) reflectia (QTY) reflectia (QTY) reflectia (QTY)	(TY)	As(QTY) s(QTY)(QTY) a)(QTY) ia)(QTY)
							STATE OF						Date/Time:	Contact:	By:
						MIE									27.
See Attached Field	Data Sheets	- V - I													
							Bar.				7		Date/Time:	Contact:	By:
														Contact	Dy.
			N COLO				- 100	Tale:				5.0			
												5-14H (95-1-1			
						Versile 1				9/11/11	BRIG.		D. t. Ti	<u> </u>	
WHICH IS A STATE OF THE STATE O		A PORT OF THE PROPERTY OF THE										12000	Date/Time:	Contact:	By:
					33999		The same								
	TITAL SECTION SECTION					100				123,000					
LABORATORY STAFF ONLY: (CUSTODY) 1. Date/Time RO 2. Date/Time Ar 3. Results Report	nalyzed:/	017/1015		S_Via:By (a;		(Print):	: Date: _	750	ha _/_		Sign: Tii	Sign:	Initials:

Date Collected: 8817
Contact Person: Joshua WHIE
Job Number: 983500 5913

Job Name: CHET HOUFIELD

Job Location: 24000 AVILA PD.

Address: 24000 AVILA Pol.

Page: 1 of 3

Company: Federal Occupational Health

Phone Number: 310 - 854-6300

Collected By: 1054402 109441E

Sample Number	Sample Description Location	Start	Stop	Total minutes	Start	Stop	Flow Avg.	Air Volume (Liters)
080817-1-15-JW	1630	155	1010	135	9.92	9.92	9.92	1,339.2
080817-1-16-010	1630 Printer Area	හි ගෙ	1012	132	9.89	9.89	9.89	1,305-48
080817 - 1-24 - JW	Corridor 1F9	811	1024	133	9.98	9.98	9.98	1,327.34
080817-1-23-UW	I.C.E. Cubical 020	318	1026	128	9.96	9.96	9.96	1,274-88
080817-1-2-JW	1.C.E. War Room	823	1032	129	9.95	9.95	9.95	1,283.55
080817-1-3.71	1.CE. Mat Poom	830	1035	125	9.96	9.96	9.96	1,245
080817-1-5-JW	1210	1040	1245	125	9.94	9.94	9.94	1,242.5
080817-1-6-JW	1000	1047	250	123	9.96	9.96	9.96	1,225.08
080817-1-7-JW	1580 - 1331b	1052	1256	124	9.95	9.95	9.95	1,233.8
080817-1-8-JW	1580 - 13051	1057	1259	122	9.96	9.96	9.96	1,215.12
080817-1-4-JW	1580 Corridor	1101	102	121	9.98	9.98	9.98	1,207.58

Date Collected: 8/8/17 + 6/9/17
Contact Person: M. PIPICETTON
Job Number: 983505913

Job Name: FOH CHET HOLIFIED

Job Location: Z4000 ADILY ROAD

Address: LACOPA PICOEL, CA

Page: 2 of 3
Company: Federal Occupational Health
Phone Number: 3(0-854-6300)
Collected By: 505400 Winter

Sample Number	Sample Description Location	Start	Stop	Total minutes	Start	Stop	Flow Avg.	Air Volume (Liters)
080817-3-51-JW	3 3 55	1111	112	121	9.95	9.95	9.95	1,203.95
080917-3-56-JW	3318	751	1005	134	9.95	9.95	9.95	1,333.3
080917-3-62-JW	Staff Break Room	756	1008	132	9.96	9.96 .	9.96	1,314.72
080917-3-55-JW	Day Coure	802	1010	128	9.94	9.94	9.94	1,272.32
080917-3-57-dW	3205	808	1015	127	9.99	9.99	9.99	1,268.73
080917-3-59-JW	3106	815	1020	125	9.96	9.96	9.96	1,245
080917-3-45-dW	3104	821	1025	124	9.99	9.99	9.99	1,238.76
030917-6-67-JW	6140 Confrence Rm.	1030	1250	140	9.99	9.99	9.99	1,398.6
080917-5-64-JW	5160-60	1036	1255	139	9.99	9.99.	9.99	1,388.41
080917-1-19-JW	1st floor Corridor	1045	100	135	9.96	9.99	9.99	1,348.65
080917-1-25-UW	1500	1058	103	125	10.13	10.43	19.13	1,266.25

Date Collected: 8/8/17 + 8/9/17
Contact Person: M. PIPKETON
Job Number: 9635005913

Job Name: FOH CHET HOLIFIELD

Job Location: 24000 ADILA ROAD

Address: LACOPA PIGOEL, CA

Page: 3 of 3
Company: Federal Occupational Health
Phone Number: 310-654-6300

JOSHDA WHITE

Collected By:

Sample Number	Sample Description Location	Start	Stop	Total minutes	Start	Stop	Flow Avg.	Air Volume (Liters)
080917-1-26-JW	1500	1101	104	123	9.95	9.95	9.95	1,223.85
080917-1-1-1000	1400	1.105	107	122	10.02	10.07	10.02	1,222.44
080817 -BU - JU	BLAPKI	-						
080817-BLZ-50	BLAPKZ	_				1,		
680917- BLI -JW	BLAPKI	-	·					
080917-BCZ-3W	BLAPKZ							
2 1 2								
3 200		- 1						
	3 **			•				
				. (2)				